

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	17	("2920513"   "3155136"   "3363309"   "3364801"   "3895426"   "4631823"   "5226224").PN. OR ("5781990").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/03/31 14:55
L2	10	("3155136").URPN.	USPAT	OR	ON	2008/03/31 14:56
S106	41	(wire wiring cable conductor rope tube pipe hose) with (slid\$3 mount attach\$3 instal \$3 mounting mounted assembl\$3 interconnect \$3 coupl\$3 adher\$3) near4 (part terminal connector interconnect \$3 component device holder clamber guider harness) and (intermediate\$2 mid\$4 between) near5 end with (wire wiring cable conductor rope tube pipe hose) and (coding mark\$3 print\$3 labl\$3) near4 (mark characters identification identity reference lable information indicia indicat\$3 code instruct \$3 guid\$3 sign) with (cable wire conductor wiring rope tube pipe hose) and (mounting instal\$3) near3 (position location instruction information guid\$3) and (part terminal connector interconnect\$3 component device holder clamber guider harness) near4 (name indication identification identity reference code)	USPAT; USOCR; EPO; JPO	OR	ON	2008/03/19 09:58

S107	11	("2514437"   "2914166"   "4336087"   "4425390"   "4465717"   "4579759"   "4636271"   "4895129"   "5947060").FN. OR ("6839994").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/03/19 10:05
S108	16	("2914166").URPN.	USPAT	OR	ON	2008/03/19 10:07
S109	42	("0019272"   "0951147"   "1632030"   "1635750"   "2914166"   "3474559"   "3896246"   "4004362"   "4041383"   "4351113"   "4471870"   "4537106"   "4575625"   "4578136"   "4579759"   "4609208"   "4659416"   "4894106"   "4963719"   "4999980"   "5039131"   "5065527"   "5114187"   "5227209"   "5259648"   "5271642"   "5361663"   "5366250"   "5496070"   "5777315").FN. OR ("6129796").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/03/19 10:08
S110	17	("2920513"   "3155136"   "3363309"   "3364801"   "3895426"   "4631823"   "5226224").FN. OR ("5781990").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/03/19 10:13
S111	10	("3155136").URPN.	USPAT	OR	ON	2008/03/19 10:36
S112	10	("4005518"   "4281442"   "4429455"   "4488353"   "4561178"   "4571823"   "4594776"   "4675995"   "4761879"   "4765059").FN. OR ("4852248").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/03/19 10:38

S113	339569	(wire wiring cable conductor rope tube pipe hose) with (slid\$3 mount attach\$3 instal\$3 mounting mounted assembl\$3 interconnect\$3 coupl\$3 adher\$3) near4 (part terminal connector interconnect\$3 component device holder clamber guider harness)	USPAT; USOCR; EPO; JPO	OR	ON	2008/03/19 10:49
S114	609	(mark\$3 print\$3 labi\$3) near4 (mark characters identification identity reference lable information indicia indicat\$3 code instruct\$3 guid\$3 sign) with (cable wire conductor wiring rope tube pipe hose) and (mounting install\$3) near3 (position location instruction information guid\$3 direction) and (part terminal connector interconnect\$3 component device holder clamber guider harness) near4 (name indication identification identity reference code)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/03/19 10:50
S115	221	S113 and S114	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/03/19 10:51
S116	189	S115 not S106	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/03/19 10:51
S117	11	("3153358"   "3659332"   "3909911"   "4999910"   "5111720").PN. OR ("5272941").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/03/19 11:02

S118	46	( "3766624"   "3842496"   "3881374"   "3907007"   "3930524"   "4030527"   "4033386"   "4043034"   "4190890"   "4380117"   "4433479"   "4520966"   "4593452"   "4631812"   "4638558"   "4653159"   "4653160"   "4677734"   "4685636"   "4701007"   "4711025"   "4715100"   "4718167"   "4729152"   "4796194"   "4803778"   "4939668").PN. OR ("5153839").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/03/19 11:09
S119	8	( "3842496"   "4265687"   "4387665"   "5153839"   "5428377"   "5455606"   "5477463").PN. OR ("5764249").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/03/19 11:11
S120	89	(mark\$3 print\$3 labl\$3) with (mark characters identification identity reference lable information indicia indicat\$3 code instruct \$3 guid\$3 sign) with (cable wire conductor wiring rope tube pipe hose) and (mounting install\$3) near3 (position location instruction information guid\$3 direction) and (mark\$3 print\$3 labl\$3) with (part terminal connector interconnect \$3 component device holder clamber guider harness) near4 (name indication identification identity reference code) with (cable wire conductor wiring rope tube pipe hose)	USPAT; EPO; JPO	OR	ON	2008/03/19 11:50

S121	6	("4151900"   "4999081"   "5275674"   "5425826"   "5985441"   "5997683").PN. OR ("6103051").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/03/19 11:57
S122	71	("2562500"   "2723215"   "2778763"   "2989943"   "3071486"   "3173806"   "3263127"   "3560641"   "3590778"   "3596275"   "3606162"   "3638612"   "3689693"   "3702404"   "3731655"   "3739395"   "3797022"   "3803628"   "3813676"   "3852772"   "3903840"   "3908542").PN. OR ("4029006").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/03/19 12:00
S123	4	("2989943").URPN.	USPAT	OR	ON	2008/03/19 12:03
S124	1059	(print\$3 wiring circuit) near2 (board substrate) with (component part) with (mounting plac\$4 attach\$3) near3 (position location) and (print\$3 mark\$3 cod\$3) with (component part) with (mounting plac\$4 attach\$3) near3 (position location)	USPAT; EPO; JPO	OR	ON	2008/03/19 12:07
S125	285	S124 and "29"/\$.cols.	USPAT; EPO; JPO	OR	ON	2008/03/19 12:08
S126	413	(print\$3 wiring circuit) near2 (board substrate) with (component part) with (mounting plac\$4 attach\$3) near3 (position location) and (print\$3 mark\$3 cod\$3) with (component part) with (mounting plac\$4 attach\$3) near3 (position location) and (component part) with (name id identification identity reference code)	USPAT; EPO; JPO	OR	ON	2008/03/19 12:16

S127	187	(print\$3 wiring circuit) near2 (board substrate) with (component part) with (mounting plac\$4 attach\$3) near3 (position location) and (print\$3 mark\$3 cod\$3) with (component part) with (mounting plac\$4 attach\$3) near3 (position location) and (print\$3 mark\$3 cod\$3) with (component part) with (name id identification identity reference code)	USPAT; EPO; JPO	OR	ON	2008/03/19 12:17
S128	29	(print\$3 wiring circuit) near2 (board substrate) and (print\$3 mark\$3 cod\$3) with (component part) with (mounting plac\$4 attach\$3) near3 (position location) and (print\$3 mark\$3 cod\$3) with (component part) near3 (name id identification identity reference code) not S127	USPAT; EPO; JPO	OR	ON	2008/03/19 13:25
S129	37	(print\$3 wiring circuit) near2 (board substrate) with (component part) with (mounting plac\$4 attach\$3) near3 (position location) same (component part) near3 (name id identification identity reference code) not S127 not S128	USPAT; EPO; JPO	OR	ON	2008/03/19 13:34
S130	52	("3588347"   "4259661"   "4442542"   "4514436"   "4549206"   "4570180"   "4692690"   "4778745"   "5034802"   "5109319"   "5132864"   "5134575"   "5204910"   "5237622"   "5260154"   "5311598"   "5446623"   "5457880"   "5521427"   "5550583"   "5586058"	US-PGPUB; USPAT; USOCR	OR	ON	2008/03/19 13:35

		"5619429"   "5637919"   "5644102" "5649022"   "5751910"   "5774572" "5774573"   "5774575"   "5783342" "5795688"   "5822054"   "5822449" "5864394"   "5870449"   "5875004" "5892579"   "5892841"   "5943217" "5943437"   "5949900"   "5999640" "6008840"   "6042995"   "6051348").FN. OR ("6480394").URPN.				
S131	17	("4939316").FN. OR ("5644102").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/03/19 13:36
S132	15	("4651416"   "4994896"   "5012389" "5309020"   "5383148"   "5502621" "5585667"   "5644102"   "6148509" "6192431"   "6344976"   "6442056" "6894379"   "6948137"   "6979910").FN. OR ("7289332").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/03/19 13:37
S133	6	("20030080440"   "5294812"   "5562993" "5644102"   "6113992"   "6270712").FN. OR ("7135356").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/03/19 13:37
S134	60	("4706187"   "4794647"   "4805110" "4876656"   "4894790"   "4953100" "4996593").FN. OR ("5134575").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/03/19 13:39

S135	30	(print\$3 wiring circuit) near2 (board substrate) and (component part) with (mounting plac\$4 attach\$3 assembl\$4) near3 (position location instruction direction) same (print\$3 mark\$3 cod\$3) with (component part) near3 (name id identification identity reference code) not S127 not S128 not S129	USPAT; EPO; JPO	OR	ON	2008/03/19 14:15
S136	6	(print\$3 wiring circuit) near2 (board substrate) with (mounting plac\$4 attach\$3 assembl\$4) with (diagram lay\$1out) and (component part) with (mounting plac\$4 attach\$3 assembl\$4) near3 (position location instruction direction) same (print\$3 mark\$3 cod\$3) with (component part) near3 (name number id identification identity code)	USPAT; EPO; JPO	OR	ON	2008/03/19 14:18
S137	12	(print\$3 wiring circuit) near2 (board substrate) with (mounting plac\$4 attach\$3 assembl\$4) with (diagram lay\$1out) and (component part) with (mounting plac\$4 attach\$3 assembl\$4) near3 (position location instruction direction) with (component part) near3 (name number id identification identity code)	USPAT; EPO; JPO	OR	ON	2008/03/19 14:20
S138	7	("5138698"   "5771043"   "6041171"   "6226560"   "6457165"   "6596942").PN. OR ("6867768").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/03/19 14:21



S139	11	("5697812"   "5797768"   "5822855").FN. OR ("6162091").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/03/19 14:21
S140	21	("6162091"   "6168462"   "6203335" "6217347"   "6302704"   "6322377" "6341988"   "6638079"   "6638104" "6666695"   "6672884"   "6679733" "6699070").FN. OR ("6758685").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/03/19 14:22
S141	0	(print\$3 wiring circuit) near2 (board substrate) with (mounting plac\$4 attach\$3 assembl\$4) with (diagram lay\$1out) and (mounting plac\$4 attach\$3 assembl\$4) near3 (position location instruction direction) with (component part) near3 (name number id identification identity code) not S137	USPAT; EPO; JPO	OR	ON	2008/03/19 14:23
S142	4	(print\$3 wiring circuit) near3 (board substrate) and (mounting plac\$4 attach\$3 assembl\$4) with (diagram lay\$1out) same (mounting plac\$4 attach\$3 assembl\$4) near3 (position location) with (component part) near3 (name number id identification identity code) not S137	USPAT; EPO; JPO	OR	ON	2008/03/19 14:25
S143	16	("4731923"   "4896034"   "5172468" "5297333"   "5381307"   "5414519" "5512712"   "5644102"   "5726502" "5805421"   "5822191"   "6168971" "6195454"   "6476499"   "6593168").FN. OR ("6938335").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/03/19 14:26

S144	31	("3697668"   "4682271"   "4940627"   "5093183"   "5214566").PN. OR ("5512712").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/03/19 14:26
S145	16	("2751294"   "3222173"   "3508919"   "3584376"   "4054091"   "4409305").PN. OR ("4682271").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/03/19 14:39
S146	0	(print\$3 wiring circuit) near3 (board substrate) and (mounting plac\$4 attach\$3 assembl\$4) with (diagram lay\$1out) same (mounting plac\$4 attach\$3 assembl\$4) near3 (position location) with (component part) near3 (name number id identification identity code symbol charactor) not S137 not S142	USPAT; EPO; JPO	OR	ON	2008/03/19 14:43
S147	36	(print\$3 wiring circuit) near3 (board substrate) and (mounting plac\$4 attach\$3 assembl\$4) with (diagram lay\$1out) with (component part) near3 (name number id identification identity code symbol charactor) not S137 not S142	USPAT; EPO; JPO	OR	ON	2008/03/19 14:46
S148	16	("3754254"   "3885234"   "3890615"   "4941356"   "5214435"   "5285688"   "5519400"   "5521600").PN. OR ("6313643").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/03/19 14:50
S149	40	("4020466"   "4084231"   "4263651"   "4464712"   "4584653"   "4600995"   "4602339"   "4607339"   "4612618"   "4613940").PN. OR ("4758953").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/03/19 14:51

S150	16	("2751294"   "3222173"   "3508919"   "3584376"   "4054091"   "4409305").PN. OR ("4682271").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/03/19 14:52
S151	10	("2883918"   "3527604"   "3734725"   "4094680"   "4282300").PN. OR ("4409305").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/03/19 14:52
S152	10	("2883918"   "3527604"   "3734725"   "4094680"   "4282300").PN. OR ("4409305").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/03/19 14:53
S153	1	("2751294").URPN.	USPAT	OR	ON	2008/03/19 14:54
S154	647	print\$3 with (component part) near3 (name number id identification identity code symbol charactor) with (wiring wire cable)	USPAT; EPO; JPO	OR	ON	2008/03/19 15:35
S155	66	S154 and "174"/\$	USPAT; EPO; JPO	OR	ON	2008/03/19 15:36
S156	26	("3102213"   "3289045"   "3404215"   "3768157"   "4012579").PN. OR ("4208698").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/03/19 15:42

3/31/08 3:36:20 PM

C:\Documents and Settings\nguyen21\My Documents\EAST\Workspaces  
\10625851\_Cable\_assembly.wsp